

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	170	((cache and compiler and analyz\$4) and (cache with coheren\$4)) and program	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/16 14:02
S4	121	((((cache and compiler and analyz\$4) and (cache with coheren\$4)) and program) and @ad < "19990422"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/16 14:03
S5	158	cache same ((insert augment add) with (statement instruction code program)) and (analyz\$4 with (program statement instruction code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/16 14:19
S6	105	(cache same ((insert augment add) with (statement instruction code program)) and (analyz\$4 with (program statement instruction code))) and @ad < "19990422"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/16 14:59
S8	2162	(711/141,146,118).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/19 22:35
S7	658	(707/8).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/19 22:35
S10	3189	((707/8).CCLS.) ((711/141,146,118).CCLS.) ((712/227).CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/19 22:36
S9	392	(712/227).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/19 22:36
S11	1649	(((((707/8).CCLS.) ((711/141,146,118).CCLS.) ((712/227).CCLS.)) and @ad < "19990422") and cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/19 22:37

S14	321	(((((707/8).CCLS.) ((711/141,146,118).CCLS.) ((712/227).CCLS.)) and @ad < "19990422") and cache) and (program instruction code)) and analyz\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 16:37
S13	2249	((((707/8).CCLS.) ((711/141,146,118).CCLS.) ((712/227).CCLS.)) and @ad < "19990422"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 16:37
S12	1456	(((((707/8).CCLS.) ((711/141,146,118).CCLS.) ((712/227).CCLS.)) and @ad < "19990422") and cache) and (program instruction code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 16:38
S18	21	((cache same ((insert augment add with (statement instruction code program)) and (analyz\$4 with (program statement instruction code))) and @ad < "19990422") and probability	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 16:40
S17	14	((cache same ((insert augment add with (statement instruction code program)) and (analyz\$4 with (program statement instruction code))) and @ad < "19990422") and probability) and (cache with (value object variable entity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 16:40
S16	61	(((((cache and compiler and analyz\$4) and (cache with coheren\$4)) and program) and @ad < "19990422") and (analyz\$4 with (program statement)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 16:40
S15	1666	cache and compiler and analyz\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 16:40
S19	105	((cache same ((insert augment add with (statement instruction code program)) and (analyz\$4 with (program statement instruction code))) and @ad < "19990422") and probability	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 16:41
S21	105	(cache same ((insert augment add with (statement instruction code program)) and (analyz\$4 with (program statement instruction code))) and @ad < "19990422"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 19:08

S2	174	(cache and compiler and analyz\$4) and (cache with coheren\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 19:18
S23	3	(cache same compiler same analyz\$4) and (cache with coheren\$4) and (branch with prediction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 19:21
S22	58	(cache and compiler and analyz\$4) and (cache with coheren\$4) and (branch with prediction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 19:21
S24	105	(cache same ((insert augment add) with (statement instruction code program)) and (analyz\$4 with (program statement instruction code))) and @ad < "19990422"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 14:08
L2	1	(cache same ((insert augment add) with (statement instruction code program)) and (analyz\$4 with (program statement instruction code))) and (sql same query) and @ad < "19990422"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 14:09
S20	2	("6266742").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 16:03
L3	2	("6725333").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/08 16:03
L5	323	(((((707/8).CCLS.) ((711/141,146, 118).CCLS.) ((712/227).CCLS.)) and @ad < "19990422") and cache) and (program instruction code)) and analyz\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 17:25
L4	1668	(((((707/8).CCLS.) ((711/141,146,118). CCLS.) ((712/227).CCLS.)) and @ad < "19990422") and cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/08 17:25